

DEPARTMENT OF ENVIRONMENTAL RESOURCES

# PROTECTION

# START

BURE AU_	SOLID	WAST	E MAN	AGEMENT
DIVISION		OPER	ATIONS	
CASE NA	ME WORTH	CREEK	RD. SITE	<b>*</b> 70
NUMBER	25921	SW P.	100987	

OTHORES September 25, 1974 Mr. Russell L. Crawford Region VI Solid Waste Director Pennsylvania Department of Environmental Resources 900 North Hermitage Road Sharon, Pennsylvania 16146 Dear Mr. Crawford: In accordance with procedures, please find enclosed three (3) bound copies of the Application For Permit For Solid Waste Disposal Site Application Module, Phase 1; and Module 5A - Phase 1, Supplementary Geology and Groundwater Information for the North Creek Road Site (#70) of the Brie County Solid Wastes Authority. Should you have any questions, please do not hesitate to contact this office. Very truly yours, Smal Haves Chairman . SHU EN Unclosure Low cc: Atty, Warren Wa Bentz

# Commonwealth of Pennsylvania Department of Environmental Resources Solid Waste Management

OPA	200		
Rey	Permit	Number	沙南區

## APPLICATION FOR PERMIT FOR SOLID WASTE DISPOSAL and/or PROCESSING FACILITIES

ee INSTRUCTIONS on Reverse Side			
1. Applicant (Name and Address)		Agent (Name, Title and Address)	DEPT. USE ONLY
Erie County Solid Wastes Auth. 606 W. Second Street	606 West S	1 Hayes, Chairman econd Street	ID. No. 100 987  Date Rec'd 9-30-74
Erie, Pa. 16507	Erie, Pa.	16307	Publ. Date _/0 -/2-74
			Date Issued
3. Property Owner(s) (Name and Address)	4. Type of C	Operation Sanitary Land	fill .
Fairview Evergreen Nursery	5. Name of F	Facility North Creek Rd	. Site (#70)
131 E. Water Street Fairview, Pa. 16423	Address of	Nouth Cucols Rd	
			ZIP 16423
	City-Borou	gh-Township Girard Twp.	County Erie
6. U.S.G.S. Map Location of Facility		7 Course Information:	
	957 photore-	EXIS	ting Proposed X
	ised 1969 Quad if published	Number of acres proposed for	or permit 0 0 6 0 95
Center of Facility: LAT. 4 2 0	0 2 6"	Total acres of the property	1 0 0 +
LONG. 8 0 2	2 1 1 9 "	Planned life of the facility	10 to 20* uni tonnage of solid was
Facility location measured from S.E. corner of		Has this facility been include	CONTRACTOR MANAGED TO A THE
N.E. Corner - NORTH 2.25 in. WEST 15	.95 in.	Waste Management Plan	
N.W. Corner -NORTH 2.25 in. WEST 16	.95 in.	YES X	NO _
S.E. Corner - NORTH . 85 in. WEST 15	.95 in.	Is County Commission's app	proval required?
S.W. Corner - NORTH . 85 in. WEST 16	. 95 in.	YES	NO X
8. The following documents are attached where	applicable:	9. Documents prepared by:	(Name, Title and Address)
Site Application Module phase I	phase II	John K. Kane, AIPG Assistant Manager	
Ground Water Module phase I	phase II	Environmental Division	on
	Soils Map	A.W. Martin Associat	
Large Scale Topo Map (Min. scale	1 = 200)	900 West Valley Forg King of Prussia, Pa.	
Incinerator Modules A B B C	0 🗆	Telephone Number 215-26	
10. AFFIDAVIT:		PRINT or TYPE Name to be Signe	
COMMONWEALTH OF PENNSYLVANIA	SS:	I, Samual H	
COUNTY OF the	55.		lepose and say that I (MIXXIDEX
Sworn and subscribed to before me t	this		ficial of the applicant)
15 Day of Sept	18 74		and that the documents and
John C Wagner	> '	statements submitted as part of correct to the best of my kno	f this application are true and
JOHN C. WAGNER , NOTH	MANUEL IC		71 ,/ /
My Commission Expires COMMISSION EXPIRES FE	B. 3, 1976	Signature	Stimuel Alayle
Member Papasylvania Association		The state of the s	

CONTRACT THE PROPERTY OF THE P

Date on Aven

SOLID WESTE DESCRIPT AND/OF FROCESSING SHE APPLE ALION MACOULT



FRIASE !

John K. Kene,	A.W. Martin	Associates, Inc. 900 W. Valley Forge Rd.	King (	of Pruss 19406
		RT L - LAND DISLOCAL FACH ITY		
A. SIVE IDENTIFICATION	North Creek	Rd. Site (\$70)	-	
2. ADDRESS OF SITE	North Creek			
		, Pa.	**	
2. SITE ACQUISITION				
MASSITLY O	ened St	WILLEAST FOR 15 YEARS		
4. OWNER OF RECORD	(time & Address) _	Fairview Evergreen Nursery 131 E. Water Street	_	
	-	Fairview, Pa.	_	
L FACILITY PURCE NATE	04		П.,	. 🖺 👊
1. IS THIS AN EXISTIN			K v.	[-]
2. IS THIS A PROPOSE				
	PAI	RT II - GOVERNVEN -L APPROVAL		
A. SHE ATTERVAL FOR		HE PERFOSED SITE FEEN APPROVED BY NA	U **	
THE COURT IS IN	nich inc inc in c		D *	es X
2. HAS THE PROPOSE WILL BE LOCATED	DSITE ELEN APPRO	AED SA JHE MODICILUTELA IM ISHACH II		
B. RECUREEMENTS				
1. ARE THEFT ANY C	VOF THE FOLLOWS		_	
. A MUNICIPALITY	r (If Yes, Describe)	None known to be required at this time		e [],
e planning cos	eversion out ver to	-x-1-1		fer X

# CONTRIBUTE AT THOSE PERSONNESS OF THE STATE OF THE SOURCES OF THE STATE OF THE STAT

#### SOLIO WASTE DISPOSAL AND/OR PROCESSICG SILL APPLICATION MODULE

PHASE !

44	and the							ACCUPATION
roe	Ber #	coef.	I A CO CO	0.5	\$ 5 at 12	127	1150	Only

1. 1	D STATE DELARTHMENT OF MINES AND	MINI BALS/	(If Yes, Doscribe)			□ No  X No
	I. OTHERY (II Yas, Describe)				Yes	X No
c. 7	owing			6		
1.	CLASSIFICATION OF SITE Light I	ndustrial	I-1			
2.	INFORCEMENT AGENCY Girard	Township	)			
	MILE ZONING OF SITE PERMIT SANITAR		Ordinance sp	ecifying san	itary	No
ti.	ADJACENT FLORENTIES WITHIN A QUAR Properties Surcureding The Site)	ITER MILE (C	heck Appropriate Block	s Which Indicate Th	e Use Of Adjacent	
	A. RESIDENTIAL	North	Eest X	South	West	
	ti. COMMERCIAL					
	D. HEAVY INDUSTRIAL	* []				_
	E. AGRICULTURAL	[x]				
				×	x	
	F, MIXED					
	G. NONE	L				

DATE PRICESON

Forte Di	PARTY	ASJA	ONLY	

	ATIC	ON (continued)					
	C	Other (describe)					
			***	Latit	ude L	ongitude	
		(a) PROPOSED North	West	Latit	ude L	ongitude	
		(a) PROPOSED North	West	Carre			
В.	Is the	required large scale map showing t	he facility attack	hed?	PS YES	ON O	
	1. 1	s the large scale topographic map d	rawn to the foll	owing minimum scal	les?		
	a	scale 1"		our interval 2'	□ YES	DN (I	DI N/A
			200' Conto	our interval 5' (2')	YES	□ NO	□ N/A
	t						
	2. 1	s the following information plotted			W VEC	D NO	
		Location of soils/geologic/and h					
	1	b. The distribution system and no	zzie locations of	spray irrigation sys	tems [] YES	D NO	₩ N/A
		f the following which occur within			ule of the site		
C.	All o	be plotted on the large scale map	and/or the 7.5	minute topographic	map		
	Check	k the appropriate space		large	not		
			7.5 mir	scale map	applicable		
			topo map	scare map			
	1.	Water wells	X	хх			
		Springs		X	×		
		Swamps		· ·	X		
	will be a	Streams	X	X	X		
		Public water supplies	-		×	20	
		Other bodies of water	-		x	50	
	7	Sinkholes	1 mg = 0.000				
	8.	Underground and/or surface mines	-		×		
	9.	Mine pool discharge points			X		
	10.	Mining spoil piles or mine dumps			A second second		
		Quarries		900 C - 1000 C	x		
	11.			-	X		
	11.	Sand and graver pits	NAME AND ADDRESS OF TAXABLE PARTY.		~		
	12.	Sand and gravel pits Gas and oil wells		****			
	12. 13.	Gas and oil wells Diversion ditches		**************************************	-X_		
	12. 13. 14.	Gas and oil wells Diversion ditches	- X	x_			
	12. 13. 14. 15.	Gas and oil wells Diversion ditches All water quality monitoring point	X				
	12. 13. 14. 15. 16.	Gas and oil wells Diversion ditches	X	**			
	12. 13. 14. 15. 16. 17.	Gas and oil wells Diversion ditches All water quality monitoring point Occupied dwellings	X	_ x	_X		
	12. 13. 14. 15. 16.	Gas and oil wells Diversion ditches All water quality monitoring point Occupied dwellings Roads	X	_ x			
	12. 13. 14. 15. 16. 17.	Gas and oil wells Diversion ditches All water quality monitoring point Occupied dwellings Roads Power lines	X	_ x	_X		

ER-710.046.5A Rev. 9/72

DATE PREPARED

DATE REVISED

11.

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES WATER QUALITY MANAGEMENT



SOILS				
A. List each of the soil series and phases present on the site. See attached soils ma	p.			
Soil Series - Phase				
1. Birdsall Silt Loam				
2. Conotton - Coarse s'ndy loam & Gravelly Loam	_			
3. Fredon - Loam				
4. Wallington - Fine silt Loam & silt Loam				
5.				X
B. Is the required copy of the U.S.D.A. Soil Conservation Service soils map for the area showing	, _			
site boundaries attached?	0	YES	0	NO
C. Have borings or test pits been made to describe soils and determine their depth?	69	YES	0	NO
1. Are their locations shown on both the large scale map and the soils map?	8	YES		NO
2. The minimum thickness of soil to horizon(s) containing 60% or more coarse fragment is 36 inches.	s			
a. How was soil thickness determined? Balckhoe Excavation				
3. Are the required pit or boring descriptions (by horizon) attached?	10	YES	0	NO
D. The percolation rates for the soils are: (Complete where applicable. For example: sprainting irrigation, tile fields, seepage beds, etc.)  Soil Series	<b>y</b>			
0-0 63 Birdsall Silt Loam Rda				
1, Inches/hour		LP C		
Less than 0.2-20.0 inches/hour Conotton Series CkB, CgB, Cg	ζυ, υ	nb, c	IIIA	
Legs than 0.2 - 6.3 inches/hour Fredon Loam FaA	-			
4. 0.63-2.0 inches/hour Wallington fine sandy loam Wa	A			
5. 0.2-2.0 inches/hour Wallington silt loam WbA				
E, How were the percolation rates determined? From soil survey report USDA	Seri	es		
1957, No. 9, Erie Co., Pa.				
1. If percolation tests were run, are all percolation test holes shown on the soils map	, 0	YES	0	NO
F. What are the drainage characteristics of the soil? Range from very poorly dra		18		
(Birdsall Series) to deep well-drained (Conotton Series)	-	13		

CATE UNIPARED

DESCRIPTION OF STREET OF STREET



G. What is the maximum slope at the proposed site? 8 percent.  H. What is the shallowest depth from the surface to mottling? 1" inches.  1 How was the above determined? Field Observation.		
H. What is the shallowest depth from the surface to mottling? 1" inches.		
1 How was the above determined? Field Observation.		
I. Is there a fragipan present?	□ YES	N P
1. What is the shallowest depth to the fragipan?inches.		
a. How was the above determined? Field Observation		
Name and address of the soil scientist supplying the above data		
Name John K. Kane, AIPG	-	
Street 900 West Valley Forge Road		
City and State King of Prussia, Pa. Zip 19406		
Phone number (include area code) (215) 265-2700		· ·
Sources of Data		
Erie County Soils Map		
Field Observation		
GEOLOGY	525	
A. All of the following which occur within the site boundary or within 0.25 mile of the site are to be plotted on the large scale map and the 7.5 minute topographic map.		
<ol> <li>Location(s) of maximum and minimum thickness of glacial deposits</li> <li>Lithologies</li> </ol>		
Areas where bedrock outcrops     Faults		
5. Lineaments		
Fracture traces     Directions of ground water flow		

ER-710.046.5A Fev. 9/72

DATE REVISED

#### COMMONWEALTH OF PLANSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES WATER GUALITY MANAGEMENT



	LOGY (continued)				
	ediments	25	YES	0	N
	Is the site within the glaciated area of Pennsylvania?  Are there  a. glacial deposits  b. colluvial deposits  c. alluvial deposits  d. lacustrine deposits	Si C C C Si	YES YES YES YES lacial	D DR	N
3.	Ranged from silt and clay to coarse sand and gravel.				
4 6	What is their minimum thickness? * No bedrock encountered.  Test pits dug with backhoe.	ed (	on sit	e.	
	How were the thicknesses determines.	_			
,	7. Are the location(s) of maximum and minimum thicknesses shown on the large scale map?	ð	YES	0	
	B. Discuss the effects of these materials on discharges from the proposed facility.  Metavial appears to be of sufficient thickness and texture to alle				
	Material appears to be of sufficient thickness and texture to an				
1	Material appears to be of sufficient thickness and texture to all natural renovation of leachate.				
	Material appears to be of sufficient thickness and texture to an				
С.	Material appears to be of sufficient thickness and texture to an natural renovation of leachate.  Bedrock				
С.	Material appears to be of sufficient thickness and texture to an natural renovation of leachate.  Bedrock  Connegut Group	ow -			
С.	Material appears to be of sufficient thickness and texture to an natural renovation of leachate.  Bedrock  1. Formation name Conneaut Group  2. Lithologies (plot on large scale map if more than one lithology)	ow -			
С.	Material appears to be of sufficient thickness and texture to an natural renovation of leachate.  Bedrock  1. Formation name Conneaut Group  2. Lithologies (plot on large scale map if more than one lithology)  Alternating gray and brown, greenish and purplish shales an siltstones.  3. Is the location of all places where the bedrock is less than 5 feet plotted on the large No bedrock exposed at proposed site, geologic	ow -	W YE	5	
С.	Material appears to be of sufficient thickness and texture to an natural renovation of leachate.  Bedrock  1. Formation name Conneaut Group  2. Lithologies (plot on large scale map if more than one lithology)  Alternating gray and brown, greenish and purplish shales an siltstones.	ow -	a YE	5	
С.	Material appears to be of sufficient thickness and texture to an natural renovation of leachate.  Bedrock  1. Formation name Conneaut Group  2. Lithologies (plot on large scale map if more than one lithology)  Alternating gray and brown, greenish and purplish shales an siltstones.  3. Is the location of all places where the bedrock is less than 5 feet plotted on the large scale map? No bedrock exposed at proposed site, geologic formation determined using geologic map.	ow -	YE YE		

COMMONWEALTH OF PENNS EVANIA BITMELE OF ENVIRONMENTAL RESOURCES WATER QUALITY MANAGEMENT MODULE 5A - PHASE I SUPPLEMENTARY GEOLOGY AND FOR DEPARTMENT USE GROUNDWATER INFORMATION EOLOGY (continued) Weathering N/A Characterize the degree of weathering T YES D NO Has a saprolite developed on the bedrock? N/A What is the shallowest depth from the surface to bedrock. Bedrock appears to be at a depth greater than 17 Describe the texture N/A If bedrock is a carbonate rock: O YES O NO Are there any undrained surface depressions or sinkholes at the site? N/A Are all sinkholes within 0.25 mile of the site shown on the 7.5 minute topographic O YES O NO map and/or on the large scale map? N/A Structure Are all lineaments and fracture traces on the site and within 0.25 miles of the site located I YES I NO on the 7.5 minute topo<sub>u</sub>:aphic map and/or the large scale map? None located in area of proposed site.

Briefly characterize these fractures, joints, etc. and discuss their control on the movement of infiltrating water and ground water. N/A Describe the regional structure of bedrock in the area of the site? Horizontal strata of Devonian shale. Area underlain by horizontal Give a detailed description of the local structure strata of Devonian shales belonging to Conneaut Group. East

Formation are exposed.

of the site along Elk Creek the flat-lying beds of the Canadaway

1710.046 UA. Hest 9-72

COMMUNICATION OF TANGE TO ARRAY OF THE PROPERTY OF THE PROPERTY MANAGEMENT

DATE BLVISLD

	ORIO		
-	ORIGINA	DIPAG	 

	a. Strike and plunge of fold axis are: N/A			
	Strike Plunge			
	b. Location of site in relation to local structure N/A			
6.	Attitude of bedding Beds are horizontal			
	a. Strike and dip of formation.			
	b. Strike and dip of formation.			
	cuite and din of formation.			
7.	Attitude of jointing Measurements taken along Elk Creek, in Canadaw	ay	Form	ation
	a. Strike N35°W and dip Vertical of joints.			
	b. Strike N70°W and dip Vertical of joints.			
	c. Strike N85°W and dip Vertical of joints.			
8.	d. N40 W Vertical What is the respective spacing of these joints?			
0.	a. 0.4' - 1.5'			
	b. 2.0' - 3.0'			
	2.0' - 4.0'			
9.	d. 0.5' - 1.0' Are joints open? (explain)	0	YES	图 (
Э.	Joints appear to be relatively tight. Generally joints			
	b. became very tight within several inches of upper surface			
	of exposure.	,		
10.	Wentsontel along hedding planes			•
10.	a. Strike and dip of cleavage.			
	at decision			
	Faults No faults noted			
11.	at the			
	4.6			
	c. Strike and dip of faults.			

EH 710 GUARDA Sees SEAS

DEPARTMENT OF THE STREET OF STREET OF STREET

DATE PREFICED

#### MODULE 5A - PHASE I SUPPLEMENTARY GEOLOGY AND GROUNDWATER INFORMATION



GE	01.00	Y (continued)				
	Land					
F.		re there any active or inactive surface mines at the site or within 0.25 mile of the				
		te?		YES	10	N
		re there any active or inactive deep mines at the site or within 0.25 mile of the site oundaries?		YES	160	N
	a.	What is the minimum depth to mined-out area?feet				
	b	What is the areal extent of the mined out area	-			
	c	What mineral resource was extracted?	_			
		(1) If coal, name the seam(s) that were mined.				
		47 - 17 -				
Sout	rces of	Data:				
		Geologic Map of Pennsylvania 1960				
		Pleistocene Stratigraphy of N.W. Pa., Geology Rpt. GSS,	1969	)		
		Glacial Geology of N.W. Pa., Geology Rpt. G 32, 1959				
		Personal Field Observation				
		(Attach additional sheets if necessary)				
Com	irnents:	(Attach additional sheets it necessary)				
_			_			
_			_			
_			-			
_			-			
			-		-	-
		to and address of explaint simplifies the short data.			+	
		John K. Kane, AIPG, A.W. Martin Associates, Inc.				1
		10110				
	5	Street: 900 W. Valley Forge Road				X
	(	City & State King of Prussia, Pa. Zip 19406				

Phone Number (include area code):

(215) 265-2700

ER-710.046 SA Hev. 9/72

DATE PREPARED

# DEPARTMENT OF ENVIRONMENTAL RESOURCES WATER QUALITY MANAGEMENT

 URIGINAL I	
meg)	

	Have	oLO(	pits _x_, borings, or wells (check one or more) been made for the	(2)	YES	0	NO
	hyd	rologi	c investigation?				
	1.		he required complete geologic description (log) of all earth materials penetrated ded?	查	YES	0	NO
	2.	If a	well, what was the method of drilling?				The state of the s
В.	Dep	th to	ground water table				
	1.	The	maximum depth to the water table within the site is 16.5+ feet.				
			Date of measurementNov. 19, 1973				
			The location is shown on the 7.5 minute or large scale x map (check one).	Pit	6s)		
		c.	If measurement is from a well or pit, give date of completion for same	ē.			
	2.	The	minimum depth to the water table within the site is3feet.				
		a.	Date of measurement Nov. 19, 1973				
		b.	Is the location shown on the 7.5 minute or large scale map (check one).	(Pi	it 14s	,	
		c:	If measurement is from a well or pit, give date of completion for same				
	1	inītiv will	Bull. W3 Grouperibe seasonal water table fluctuations at the above locations 0.5' to 11.0'.  We date is available for the proposed site, it is estimated that be less than 3' due to local topography and good drainage of the soils.	Altho	fluci	no tuati	def
			cribe all perched or special water table conditions.				
			See comment section				
	5.	Do	es ground water drain to deep mines?	0	YES	CK	N
C.			u shown the direction(s) of ground water movement from the site on the large X7.5 minute map (check one)?	29	YES	0	N
	a.	Des	Analyses xisting topography and water levels obtaine from the test pits.	d			

#### MODULE 5A - PHASE I SUPPLEMENTARY GEOLOGY AND GROUNDWATER INFORMATION

FOR DEPARTMENT USE ONLY

S-C-12000				
IV	HYDROL	CGY	(continued)	

- b. The location of the ground water discharge point(s) affected by this facility is Elk Creek is major groundwater discharge point in area.
- c. Discuss the rate of ground water flow at this site as it applies to the operation of this facility Rate of flow unknown at this time
- D. Describe below the proposed ground water quality monitoring points for approval. (For sanitary landfills, monitoring point proposals are subject to final approval of the Engineering Design Plans. No wells are to be drilled until final approval of the Engineering Design Plans.) Use numbers only and number all monitoring points consecutively.
  - 1. Wells, (check one). For multiple wells indicate with monitoring point number (a) for existing and (b) for proposed.
    - (a) For existing wells complete the table below.
    - (b) X For proposed new well construction, complete the table from your specifications.

MONITORING				C	ASING	LOCAT	ION.3	
POINT NUMBER	DRILLING METHOD	DEPTH	DIAMETER	SIZE &	ZONES'1 PERFORATED	INCHES NORTH	WEST	SURFACE
1	Cabletoo	35'	6"	6"	-	1.65"	16.9"	715
2	**	30'	6"	4"	10'-30'	1.05"	16.93"	716
3	11	30'	6"	4"	8'-30'	1.08"	16.1"	719
4	#	351	6"	4"	7'-35'	1.42"	15.96"	721
5	11	30'	6"	4"	14'-30'	1.80"	16.19"	714

What zones or at what depth is the easing perforated?

22 Measured from the southeast corner of the 73 minute topographic map.
30' 6" 4" 13'-30' 2.23" 1 6 2. Springs 13'-30' 2.23" 16.3"

	RATE OF		FOCUTION.		
FLEVATION	FLOW (gpm)	DATE OF MEASUREMENT	NORTH	WEST	
675	3-5	8/22/74	1.68"	15.56"	
		-		_	
		FLOW (gpm)	ELEVATION (gpm) DATE OF MEASUREMENT	FLOW DATE OF INCHES (gpm) MEASUREMENT NORTH	

<sup>\*</sup>Measured from the southeast corner of the 7.5 minute topographic map

NOTE:

Phase II must be completed within 60 days after the monitoring points are approved and the permit is issued.

B-710 046 5A FI-2 9/72 DATE PREPARED

DATE REVISED

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES WATER QUALITY MANAGEMENT

MODULE 5A - PHASE I SUPPLEMENTARY GEOLOGY AND GROUNDWATER INFORMATION




IV. HYDROLOGY (continued)

Name and address of geologist or hydrogeologist supplying the above data:
Name: John K. Kane, AIPG A.W. Martin Associates, Inc.
Street 900 West Valley Forge Road
City & State: King of Prussia, Pa. Zip 19406
Phone Number (include area code) (215) 265-2700
Sources of Data:
Personal on-site observation
Groundwater in Northwestern, Pa., Bull W3, 1934
Comments: (attach additional sheets if necessary)
IV B 4. An area located along the south central margin of
the site is poorly drained and perched due in part to the poor drainage charac-
of the underlying soil and in part to restricted surface drainage
caused by the damming action of the railroad fill and partially silted up
culvert that crosses under the railroad.
Curvert that Crosses under the

R 710.046 SA Hev 9/72
DATE PREPARED
DATE REVISED

COMMONWEALTH OF PLANSAT VANIA.
DEPARTMENT OF ENVIRONMENTAL RESOURCES
WATER QUALITY MANAGEMENT



	TON DATABLE	25 141	USE OF	U.Y	1000
v	CLIMATOLOGY AND FLOODING				
	A. Will this be an all-season operation?	~	VEC		
	1 If sevenal include several materials	8	YES	0	NC
	For a sanitary landfill requiring collection and treatment of leachate complete 1, 2, 3, 5 & 6.  For spray irrigation complete 3, 4, 5 & 6.  For impoundments complete 2, 5 & 6.				
	1. Maximum precipitation 2. Average precipitation 3. Maximum monthly precipitation 4. Minimum monthly precipitation 5. Station of record Eric, Pa. 6. Length of historical record Since 1875	(194			
C	Flooding Frequency				
	1. Will all or part of the site be inundated? (check one)				
	a once in 5 years or more				
	bonce in 10 years conce in 25 years				
	donce in 50 years				
	e. once in 100 years				
D	Source of 'fooding information				
				*	
		der et			
	MPOUNDMENTS				-
	Newer the following questions for impoundments only				
^.	How will the sides and bottom of the impoundment be made impervious?	0 '	YES		NO
	Briefly describe or explain				
	2 State State of Stat				
	With the control of t				. 1
	Control Contro	35			
-					133
В.	Will the surrounding area be graded or diked to prevent surface water from entering the impoundment?		/FC	n 1	NO
	Briefly describe or explain	0 1	ES	נו	NO
	briefly describe of explain				
					16
C	Will the sides be constructed to maintain a two (2) foot free-board, and be protected against were action?				12.6
	wave action?	DY	ES	0 1	10
D.	How will the impoundment be protected from acts of third parties?				
	potential from sets of their parties?				
	6A 13				

18-75-036-5A Rev 9772

DATE PHICABID

GATE REVISED

COMMUNICATION OF PLANT OF PROMISE OF PROMISES WATER QUALITY MANAGEMYS.

#### MODULE 5A - PHASE I SUPPLEMENTARY GEOLOGY AND GROUNDWATER INFORMATION





	VII.	DISCH	ARGE	TO	GROUND	WATER
--	------	-------	------	----	--------	-------

- A. If there is a discharge or a potential discharge to ground water, background water quality must be determined.
  - 1. How was background water quality determined?

Describe Background water Quality unknown at this time. Water Quality samples will be taken after construction of monitor wells.

- 2. What is the background water quality?
  - Temperature degrees C pH Alkalinity Total solids Suspended solids Settleable solids g. MBAS BOD 5 day COD 25 w K, Cr, O. Specific conductance Micrombos Total iron mg/i Manganese mg/l Aluminum rng/l Copper mg T Zinc mig/L Nickel p. mg/i Chromium mg ! Sulfate Chloride Fluoride Kjeldahi Nitrogen Ammonia Nitrogen Nitrate Nitrogen Phosphorus





che R. C.

+ TEST PITS

SEALE . 1 = 800'd

2796



Name of Site: Fairview Evergreen Nursey

North Creek Road Site

Date: October 3, 1973

Weather: Clear

Type Site: Rolling Upland

- Location: See Plan , Surface Elevation 723.3

Pit # - Lo
Depth of hole: 9.5'

Depth to water table: 9.0' (Elevation 714.3)

Depth to bedrock: None

Visible horizons: 0.0' - 6.5', Brown Clayey gravelly till

6.5' - 9.5', Brown gravelly sand

- Location: See Plan, Surface Elevation 720.0

Depth of hole: 9.0'

Depth to water table: 8.5' (Elevation 711.5)

Depth to bedrock: None

Visible horizons:

0.0' - 8.5', Brown sand with clay and gravel 8.5' - 9.0', Gray very fine grained sand

- Location: See Plan , Surface Elevation 713.0 Depth of hole: 11.0'

Depth to water table: None Depth to bedrock: None

Visible horizons:

0.0' - 3.5', Brown sandy till

3.5' - 11.0', Brown fine gravel and sand

Name of Site: Fairview Evergreen Nursery

Weather: Clear

North Creek Road, Site 70 Date: November 19, 1973

Type Site: Rolling Upland

Pi 4 s - Location: See Plan, Surface Elevation 710.0

Depth of hole: 14.5'

Depth to water table: 14.5' (Elevation 695.5)

Depth to bedrock: None

Visible horizons:

0.0' - 3.0'; Brown topsoil and till.

3.0' - 8.0'; Brown gravel.

8.0' - 14.5'; Brown sand and silt with fine gravel.

Pit # 5s - Location: Depth of hole: 15.0' See Plan , Surface Elevation 718.0

Depth to water table: None

Depth to bedrock: None

Visible horizons:

0.0' - 2.0'; Brown topsoil and till.

2.0' - 13.0'; Fine to coarse gravel with brown sand and silt.

Pit # 6s - Location: See Plan , Surface Elevation 716.0

Depth of hole: 16.5'

Depth to water table: None

Depth to bedreck: None

Visible horizons:

0.0' - 4.0'; Brown sand with silt and gravel.

4.0' - 6.0'; Gravel and sand.

6.0' - 10.0': Brown silt and very fine grained sand.

10.0' - 16.5'; Brown fine to medium grained sand.

Name of Site: Fairview Evergreen Nursery Weather: Clear

North Creek Road Site

Date: October 4, 1973 Type Site: Rolling Upland

7 - Location: See Plan, Surface Elevation 720.0

Depth of hole: 11.0'

Depth to water table: None Depth to bedrock: None

Visible horizons:

0.0' - 4.5', Brown sandy till 4.5' - 11,0', Brown sand with a small amount of gravel

Pit # 8 - Location: See Plan, Surface Elevation 719.0
Depth of hole: 9.5'

Depth to water table: None Depth to bedrock: None

Visible horizons:

0.0' - 3.0', Brown till
3.0' - 6.0', Brown fine grained sand with gravel and silt
6.0' - 9.5', Brown very fine grained sand and silt

See Plan, Surface Elevation 718.0 - Location:

Depth of hole: 5.0'

Depth to water table: 4.0' (Elevation 714.0)

Depth to bedrock: None

Visible horizons:

0.0' - 3.0', Gray mottled very fine grained sand

3.0' - 5.0', Gray sand with some gravel

In middle of drainage area, soggy ground surface and standing water.

Name of Site: Fairview Evergreen Nursery Weather:

North Creek Road Site

Date: October 4, 1973 Type Site: Rolling Upland

See Plan, Surface Elevation 720.0 10 Pit # - Location:

Depth of hole: 6.0'

Depth to water table: 5.0' (Elevation 715.0)

Depth to bedrock: None

Visible horizons:

0.0' - 5.0', Gray brown sand and silt with gravel and shale

fragments

5.0' - 6.0', Gray sand

(located just south of drainageway)

Pit # - Location: See Plan, Surface Elevation 721.0

Depth of hole: 7.5'

7.0' (Elevation 714.0) Depth to water table:

None Depth to bedrock:

Visible horizons:

0.0' - 3.0', Brown till with layer of cobbles at 3.0' 3.0' - 7.5', Brown sand

- Location: 12 See Plan, Surface Elevation 713.0

Depth of hole: 10.0'

Depth to water table: 10.0' (Elevation 703.0)

Depth to bedrock: None

Visible horizons:

0.0' - 2.5', Brown sandy till 2.5' - 10.5', Brown sand and gravel with silt

Redien

Name of Site: Fairview Evergreen Nursery Weather: Clear

North Creek Road Site

Date: October 4, 1973 Type Site: Rolling Upland

Pit # 13 - Location: See Plan, Surface Elevation 709.2

Depth of hole: 9.5'

Depth to water table: Slight seepage at 8.0' (Elevation 701.2)

Depth to bedrock: None

Visible horizons:

0.0' - 3.0', Brown till 3.0' - 8.0', Brown sand and gravel 8.0' - 9.5', Yellow brown silt

Pit # \_\_\_\_\_\_ - Location: See Plan , Surface Elevation 711.0

Depth of hole: 11.5'

Depth to water table: None

Depth to bedrock: None

Visible horizons:

0.0' - 4.0' Brown till 4.0' - 11.5', Brown sand and gravel

Pit # 15 - Location: See Plan, Surface Elevation 695.65
Depth of hole: 5.0'
Depth to water table: 4.8' (Elevation 690.85)
Depth to bedrock: None
Visible horizons:

0.0' - 2.0', Brown till 2.0' - 5.0', Gray brown sand and gravel

Name of Site: Fairview Evergreens Nursery Weather: Clear

Nursery, North Creek Road, Site 70

Date: November 19, 1973 Type Site: Rolling Upland

Pit # 1 s - Location: See Plan, Surface Elevation 706.3

Depth of hole: 17'

Depth to water table: 16' (Elevation 690.3)

Depth to bedrock: None

Visible horizons:

0.0' - 3.0'; Brown topsoil and till

3.0' - 6.6'; Brown gravel and very fine grained sand.

6.6' - 9.0'; Brown silt and very fine grained send.

9.0' - 11.0'; Brown gravel, sand and silt.

11.0' - 17.0'; Brown very fine grained sand and silt.

Pit # 2 a - Location: See Plan, Surface Elevation 706.8

Depth of hole: 16'

Depth to water table:16' (Elevation 690.8)

Depth to bedrock: None

Visible horizons:

9.0' - 3.0'; Brown topsoil and till

3.0' - 5.0'; Brown gravel and very fine grained sand.

5.0' - 6.0'; Brown silt and sand.

6.0' - 9.0'; Brown gravel and very fine grained sand.

9.0' - 11.0'; Sandy silt.

Pit # 3s - Location: See Plan, Surface Elevation 711.0

Depth of hole: 14.5'

Depth to water table: None (slight dampness)

Depth to bedrock: None

Visible horizons:

0.0' - 1.0'; Brown topsoil and till

1.0 - 10.0; Fire to coarse gravel and sand.

10.0'- 14.0!; Fine gravel and brown silt and very fine grained sand.

14.0' - 14.5'; Gray clay

Name of Site: Fairview Evergreen Nursery Weather: Clear

North Creek Road, Site 70

Date: November 19, 1973 Type Site: Rolling Upland

Pi' 4 s - Location: See Plan, Surface Elevation 710.0

Depth of hole: 14.5'

Depth to water table: 14.5' (Elevation 695.5)

Depth to bedrock: None

Visible horizons:

0.0' - 3.0'; Brown topsoil and till.

3.0' - 8.0'; Brown gravel.

8.0' - 14.5'; Brown sand and silt with fine gravel.

Pit # 5s - Location: See Plan , Surface Elevation 718.0

Depth of hole: 15.0'

Depth to water table: None

Depth to bedrock: None

Visible horizons:

0.0' - 2.0'; Brown topsoil and till.

2.0' - 13.0'; Fine to coarse gravel with brown sand and silt.

68 - Location: See Plan , Surface Elevation 716.0

Depth of hole: 16.5'

Depth to water table: None

Depth to bedreck: None

Visible horizons:

0.0' - 4.0'; Brown sand with silt and gravel.

4.0' - 6.0'; Gravel and sand.

6.0' - 10.0': Brown silt and very fine grained sand. 10.0' - 16.5'; Brown fine to medium grained sand.

Name of Site: Fairview Evergreen Nursery Weather: Clear North Creek Road, Site 70

Date: November 19, 1973 Type Site: Rolling Upland

Pit # 7s - Location: See Plan , Surface Elevation 697.5
Depth of hole: 15.0'

Depth to water table: 15.0' (Elevation 682.5)

Depth to bedrock: None Visible horizons:

0.0' - 4.0'; Brown sand with silt and gravel.

4.0' - 7.0'; Gravel and sand.

7.0' - 15.0'; Brown fine to coarse grained sand with silt and fine gravel.

Pit # \_\_ R.s \_ - Location: See Plan , Surface Elevation 707.0

Depth to water table: 14.0' (Elevation 693.0)

Depth to bedrock: None Visible horizons:

0.0' - 3.0'; Brown topsoil and till.

3.0' - 5.0'; Gravel and sand.

5.0' - 7.0'; Brown silt with very fine grained sand.

7.0' - 15.0'; Brown sand with fine gravel.

9 s - Location: See Plan, Surface Elevation 715.0 Depth of hole: 16.5'

Depth to water table: None Depth to bedrock: None

Visible horizons:

Brown topsoil and till.

0.0' - 1.5'; 1.5' - 8.0'; Gravel and sand.

8.0' - 16.5'; Brown very fine grained sand and silt.

Name of Site: Fairview Evergreen Nursery

Weather: Clear

North Creek Road, Site 70 Date: November 19, 1973

Type Site:

Rolling Upland

Pit # 10 s - Location: See Plan, Surface Elevation 720.0

Depth of hole: 15.0'

Depth to water table: None

Depth to bedrock: None

Visible horizons:

0.0' - 3.0'; Brown topsoil and till.

3.0' - 5.0'; Gravel with sand.

5.0' - 7.5'; Brown fine to coarse grained sand.

7.5' - 15.0'; Brown silt.

Pit # 11s - Location: Depth of hole: 15.0' See Plan , Surface Elevation 719.0

Depth to water table: None

Depth to bedrock: None

Visible herizons:

0.0' - 7.0'; Brown sand and silt with sporadic gravel.

7.0' - 15.0'; Gray fine grained sand and clayey silt.

it # 12s - Location: See Plan , Surface Elevation 720.0

epth of hole: 12.0'

epth to water table: None

epth to bedrock: None isible horizons:

0.0' - 2.0'; 2.0' - 4.0';

Brown topsoil and till .. Mottled brown clayey silt.

4.0' - 8.0' Brown silt.

8.0' - 12.0'; Gray silt with clay .



Name of Site: Fairview Evergreen Nursery

Weather: Clear

North Creek Road, Site 70

Date: November 19, 1973

Type Site:

Rolling Upland

Pit # 13 g - Location: See Plan, Surface Elevation 719.0

Depth of hole: 10.0'

Depth to water table: 8.0' (seepage starts at depth of 4.0') (Elevation 711.0 - 715.0)

Depth to bedrock: None

Visible horizons:

0.0' - 1.5'; Brown topsoil and till.

1.5' - 3.5'; Brown mottled silt and sand.

3.5' - 6.0'; Brown sand and gravel.

Gray sand and gravel. 6.0' - 10.0';

Pit # 14.8 - Location: See Plan, Surface Elevation 720.0

Depth of hole: 6.0'

Depth to water table: 3.0' (Elevation 717.0)

Depth to bedrock: None

Visible horizons:

0.0' - 2.5'; Brown mottled sand silt and clay.

2.5' - 6.0'; Gray sand with gravel.

Pit # 15 8 - Location: Sec Plan , Surface Elevation 701.1

Depth of hole: 14.0'

Depth to water table: None

Depth to bedrock: None

Visible horizons:

0.0' - 3.0'; Brown topsoil and till.

3.0' - 6.0'; Gravel with brown sand and silt.

6.0' - 13.0'; Brown sand.

13.0' - 14.0'; Gray sand.



Name of Site: Fairview Evergreen Nursery

North Creek Road, Site 70

Date: November 19, 1973

Weather: Clear

Type Site:

Rolling Upland

Pit # 16s - Location: See Plan, Surface Elevation 720.0

Depth of hole: 10.0'

Depth to water table: 9.0' (Elevation 711.0)

Depth to bedrock: None

Visible horizons:

0.0' - 2.2'; Brown topsoil and till.

2.2' - 4.5'; Gravel and rock fragments and sand.

4.5' - 10.0'; Brown silt and very fine grained sand.

Pit # 178 - Location: See Plan, Surface Elevation 709.0 Depth of hole: 11.5'

Depth to water table: 9.6' (Elevation 699.4)

Depth to bedrock: None

Visible horizons:

0.0' - 2.0'; Brown topsoil and till.

2.0' - 6.0'; Gravel and sand.

6.0' - 9.6'; Brown fine grained sand.

9.6' - 11.5': Gray fine grained sand, iron staining on upper portion.

Pit # \_\_18s - Location: See Plan , Surface Elevation 710.0 Depth of hole: 15.0'

Depth to water table: None

Depth to bedrock: None


Visible heriz as:

0.0' - 2.5'; Brown topsoil and till.

2.5' - 7.6'; Brown silt.

7.6 - 9.0'; Sand and gravel.

9.0' - 15.0'; Brown silt.



SCALE: 1" = 800'1

TEST PITS

FIGURE 15

ERIE COUNTY

A. W. MARTIN ASSOCIATES, INC.

Consulting Engineers

BIRG OF PRESSIA. TV. PHILADELPHIA, PL.



ivision of Solid Waste Management 900 Forth hermitage Road Sparon, Pennsylvania 16146 December 30 1974

(412) 346-3571

OTIFIED MAIL

rie County Solid Waste Authority 06 West Second Street rie Pennsylvania 16307

ttention Mr. Samuel Hayes, Chnirman

Morth Creek Road Site 170 North Creek Road Gizard Township Erie County

- oferences (1) Application for Permit for Solid.
  Waste Disposal Facilities.
  - (7) Site Application Module Phase 1.
  - (3) Module 5A Phase I Supplementary Geology and Groundwater Information.
  - (4) Topographic and site plan revised August 26, 1974.

or Er. Haves.

review of the above referenced submission has been completed by a technical staff of the Division of Sclid Waste Management.

have the following comments concerning your application, submitted your behalf by A. W. Martin Associates, Incorporated:

(1) There are two (2) minor discrepancies in the application. The number of acres proposed to be landfilled on the application differs from that indicated on the site plan. The site lesse period is less than the anticipated site life.

Cort ( tal 2053119 Con't. Base | upon the propose | concept that natural renovation of leachage will occur, lesion of the site must consider the below lists restrictions: An area type lanifill only is acceptable. The total depth of solid waste to be emplaced shall not exceed six (6) feet. The permit application s'ould be c anged (2) to include only the initial eight (8) acre tract. If additional acreage is required in the future, an addendum can be submitted. Performance of the initial area will dictate whether additional area could be filled. Additional monitoring wells should be placed adjacent to the boundaries of the initial development tract. These wells are for the purpose of monitoring the degree of natural renovation of leachate that takes place. Should these wells show inadequate natural renovation of leachate, then leachate collection and treatment would be required, which possibly, leachate collection could be accomplished by pumping the monitoring wells. If you have any questions concerning this review, please contact Very truly yours. Russell L. Crawford Regional Solid Waste Director RLC: SE A. W. Martin Associates, Incorporated Erie County Department of Health Division of Solid Waste Management - Harrisburg (2) John Dovak, Regional Soil Scientist files.